Annexure (A): Status of Cluster at a Glance

Name of SPV/DPG	Automoti	Automotive Connective System Manufacturing Association.				
Name of LMC	Quality G	Quality Growth Services Pvt. Ltd				
	K.N. Rai	K.N. Rai (Active Consultant), Contact Name:- 09810791179				
Brief Description	like Term The SP\	Location of SPV/DPG is in Greater Noida. The SPV/DPG basically enrolled with products like Terminals, Rubber Products, Plastic Components and Wires. The SPV/DPG is in last phase of implementation i.e. in 5 th phase which is likely to be completed in first Week of September.				
	S	ummary of the units				
Company Name	Location	Brief Description(Products range)	Active MSME			
M/s Modvak Engineering (I) Pvt. Ltd.	Bahadurgarh	Manufacturing terminals using single stroke presses.	Under MSME-DI ,Karnal			
M/s Deusch Moto Comp Pvt. Ltd.	Greater Noida	Manufacturing of Rubber parts using ➤ Rubber Injection Moulding ➤ Rubber compression Moulding	Under MSME-DI , Okhla			
M/s SGR Elastomers (India) Pvt Ltd	Gurgaon	Manufacturing Rubber Components using Compression Molding.	Under MSME-DI , Karnal			
M/S Positive Plastics Pvt. Ltd.	Noida	Manufacturing Plastics components using Dip Molding, Injection Molding and Extrusion Machines.	Under MSME-DI , Okhla			
M/s BMI Cable Private Ltd.	Khushkhera	Manufacturing ELASTOMERIC (RUBBER) / PVC POWER AND CONTROL CABLES (Wire Drawing , Annealing , Extrusion)	Under MSME-DI , Jaipur			
M/s Malhotra Cables Pvt. Ltd.	Manesar	Manufacturing PVC Auto Cables	Under MSME-DI , Karnal			
M/s Shilpi Cable Technologies Ltd.	Chaupanki	Manufacturing PVC Auto Cables and House Wires	Under MSME-DI, Jaipur			
M/s Mega Rubber Technologies (P) Ltd. Ma		Manufacturing of Rubber parts ➤ Rubber Injection Moulding ➤ Rubber Compression Moulding Plastic Injection Moulding	Under MSME-DI , Karnal			

Success Story of the Cluster	Attached Below.
Way Forward	Sustenance is the main agenda for the last phase (5 th Phase). The main focus is to retain
	the Lean culture in the base system so that they can continually improve as well achieve
	accordingly.
Problems if any	

Achievements:-

1. Unit wise Monetary Benefits

Companies	58	Quality Improvement	Break Down	Inventory Reduction	SMED	Kaizens	Total	
Duesch	<u>85,000</u>	<u>1.35 Lakh</u>	<u></u>		<u></u>	> 2 lakhs	<u>>4.2lakhs</u>	
Modvak	4 lakhs		0.90 Lakh	>2 lakh/-	89,000/-	> 2 lakh	>9.79lakhs	
SGR Elastomers	1,00,000/-	0.85 Lakh	<u></u>	<u></u>	<u></u>	1.69 lakhs	>3.54lakhs	
Positive Plastics.	2 .26 lakhs/-	1.10 Lakh	3.68 Lakh/-	<u></u>	>0.98 lakh	4.5 lakhs	>12.52lakhs	
Mega Rubbers	1.75 lakh/-	>8 Lakh/-	>7.5 Lakh/-	<u></u>	>1.25 lakh	> 14 lakh	>32.5lakhs	
Shilpi Cables.	> 25 lakhs		>1.22 lakh	>20 Lakh/-	>2.25 lakh	<u>6 lakhs</u>	>54.47lakhs	
Malhotra Cables	28.09 lakhs		<u></u>	<u></u>	>0.85 lakh	<u>6.2 lakh</u>	>35.14lakhs	
BMI Cables	6.12 lakhs	>2 lakhs		<u></u>	>1.39 Lakh	6.75 lakhs	>16.26lakhs	
	Total <u>1.68 Cr.</u>							

2. Unit wise Quantitative Benefits:-

Comanies Name	Shi	lpi	BN	ВМІ		GR	Positive		Duesch	
Project	Baseline	Actual	Baseline	Actual	Baseline	Actual	Baseline	Actual	Baseline	Actual
Training	0 Nos.	19 Nos.	0 Nos.	19 Nos.	0 Nos.	19 Nos.	0 Nos.	19 Nos.	0 Nos.	19 Nos.
5S & Visual Management	12%	64%	12%	60%	16%	60%	16%	60%	16%	60%
Standardization, preparation & Display of SOPs	45%	68%	11%	57%	14%	61%	25%	54%	32%	68%
Quick Win Kaizens	3 Nos.	63 Nos.	0 Nos.	63 Nos.	19 Nos.	62 Nos.	15 Nos.	64 Nos.	20 No.	54 Nos.
Quality Improvement	N/	A	2750 PPM	781 PPM	24842 PPM	15236 PPM	28166 PPM	17548 PPM	48883 PPM	25025 PPM
Reduce Cost of Poor Quality	N/	A	N/.	A	N	/A	N	/A	3%	2.56%
Consistency in Quality (Customer Rejection)	N/	A	N/.	A	N	/A	N	/A	628 PPM	198 PPM
Lean Management System	43%	67%	14%	54%	32%	62%	33%	66%	44%	67%
Reduction in Changeover Time	64 Min	26 Min	N/.	A	N	/A	71 Hours	53 Hours	N	/A
Reduction in Break Down	N/	A	N/.	A	N	/A	N/A		N	/A
Inventory Optimization	40 days	28 Days	N/.	A	N	N/A N/A		N/A		
VSM	N/.	A	Level 1	Level 2	Level 1	Level 2	Level 2	Level 3	N	/A
Application of FMECA	120 Hours	90 Hours	N/.	A	N	/A	N.	/A	N	/A

Comanies Name	Modvak		Me	ega	Malhotra		
Project	Baseline	Actual	Baseline	Actual	Baseline	Actual	
Training	0 Nos.	19 Nos.	0 Nos.	19 Nos.	0 Nos.	19 Nos.	
5S & Visual Management	20% 64%		16%	60%	32%	60%	
Standardization, preparation & Display of SOPs	32%	64%	39%	61%	36%	64%	
Quick Win Kaizens	0 Nos.	54 Nos.	0 Nos.	60 Nos.	5 Nos.	58 Nos.	
Quality Improvement	N	/A	45905 PPM 21682 PPM		N/A		
Reduce Cost of Poor Quality	N	/A	N/A		N/A		
Consistency in Quality (Customer Rejection)	4679 PPM	1577 PPM	N	/A	481 PPM	0 РРМ	
Lean Management System	33%	62%	46%	67%	45%	66%	
Reduction in Changeover Time	62 Minutes 50 Minutes				N/A		
Reduction in Break Down	238 Hours	145 Hours	275 Hours 157 PPM		N/A	A	
Inventory Optimization	55 Days 37 Days		N/A		N/A		
VSM	Level 2	Level 3	Level 2 Level 3		Level 2	Level 3	
Application of FMECA	N	/A	N/	N/A		N/A	

3. Instant Glimpses of Cluster:


Implementation:-2S

For available needed material, dedicated locations are identified defined and marked based on 3F principle i.e. Fixed Item, Fixed Location and Fixed Quantity.



Implementation:-2S


For available needed material, dedicated locations are identified defined and marked based on 3F principle i.e. Fixed Item, Fixed Location and Fixed Quantity.



Implementation:-2S

For available needed material, dedicated locations are identified defined and marked based on 3F principle i.e. Fixed Item, Fixed Location and Fixed Quantity.





Quick Win Kaizen's

_	7 A T. T. T. T.	CTTTT	300		Ref. No.	
l K	CAIZEN	SHE	$\mathbb{C}[\mathbf{T}]$		Date	14-Sep-15
Rart Description	Present Condition	Target	Actual Results	Kaizer	Team I	Members
VENT BAFFLE	CRACK PROBLEM	SOLUTION OF		Ø Ø	WR. SAWTOS	SH WAURYA
Direc	DURING UNLOADING	NG CRACK PROBLEM.	IMPLEMENTED			
COMPRESSION MOULDING (M-2)	THE PIECES.			0		
Befor		After		Cost saves = 84000 + 30000 94000	Osmilty Cost Productivity SS Packing Safety Safety	ree ree ree
CRACK PROBLEM OF MANUALLY UNLABORATED PIECE	OADING THE	PIECES ARE UI WITH THE HEL INSTRUME	P OF AN	01. PROBLEW UNLODING IS SO OZ. OPERATOR BECAUSE NOT PITHE HELP OF AN PIECES TERE UN FINGERS. 03. Cost savin (Zmin on every rejection in state of Z.5% to 1%	'S FATIOU ECES ARE INSTRUME LOADED VI	NT .PREVIOUSLY TH DIRECT HAM!

Ref. No. KAIZEN SHEET 10-Sep-15 Date Rart Description Present Condition Actual Results Kaizen Team Members Target WR. SANTOSH WAURYA 0 **CUSHION PGM** FEED WEIGHT-FEED WEIGHT-0 IMPLEMENTED 26.5GM/CAVITY 26.5GM/CAVITY Shop 0 COMPRESSION MOULDING (M-2) 8

Before



MOULD RUNNING IN COMPRESSION TRANSFER ,FEED WT.=26.5 GM/CAVITY.

After



MOULD RUNNING IN COMPRESSION ,FEED WT.=21.5 GM/CAVITY.

Kaipen				
Quality	298			
Coet	yea			
reductivity	() WE			
55				
Packing				
Safety				

Benefits

Feed weight Saving = 5 gms on each shot

Cost saving = 0.005 kg * 8 (per shot) * 410(per kg) * 25(daily usage) * 13(per month)

Cost saves = Approx 56000 Rs

	ZAIZE	NI CITE	P.T.	DATE	17/11/2015
		N SHE		W-1 W	
Rart Description	Present Condition	Target	Actual Results	Kaizen Team	Members
GASKET HEAD				MR. RAJESH KUMAR	
COVER(12391-AAW- 0000)	ACCUATOUALD 4A CHATOUALD HIS ENGINEE		10 SHOTS/HOUR IMPLEMENTED MR. JITENDER R.		
MODULE-01				TOOL ROOM TEAM	
D - C -		1.04		Effectiv	eness
Befo	re	After		Quality	700
And the second second second				Cost	700
-				Productivity	700
-			55		
			Packing		
	-		Safety		
				Benef	
				PRODUCED PER HOUR.	TIECES PERE
				02. PRESENTLY 160 P	TECES ARE PRODUCED
				PER HOUR.	
		INJECTION RUNNER OF I	MOULD IS MODIFIED	MOTE: COST/PCE-Rm.52.88	
BECAUSE OF A DIRECT STE		FROM TOOL ROOM SO I		COSC SEVING	₹ 44,23,680
MOULD, INJECTION TIME OF SEC. TOTAL CYCLE TI		M/C IS REDUCED I.e. 60 TIME IS 360	SEC.TOTAL CYCLE	Cost saving = 32 parts(one "12(No of days mould was r 12(Year) "40(Approx Part Co	run in one month) "

Implementation of SOP's

SGR Elastomers India Pvt. Ltd.		WORK INST कार्य वि	DOC. NO. REV. NO. KEY DATE	SGR/WI/MIX/02 00 04.11.2015					
				MEV. DATE	5C				
	_	MIA	MIXING						
SAFETY FOR OPERATOR 🔛 QUALITY CHECK 🔷 CRITICAL PROCESS 🤍 MANDATORY SEQUENCE 🔵									
Photo (Sketch)	SYMBOL STEP	MAJOR STEP (WHAT) क्या करें ?	KEY POINT (HOW) wet wit?	REASON(WHY) क्यों करे ?				
	1.0	मिक्सिंग करने से पहले मिक्सिंग रोल को अच्छी तरह साफ करें ।	मिक्सिंग हुड को नीचे करे और हवा के पेश्वर से तथा कपड़े से सॉफ करे	न्या बेंच यदि अस	गर साफ नहीं होगा तो गरम्बर का ह तो रम्बर ality) पर परभाव पह				
	2.0	मिक्सिंग के लिए रम्बर और कार्बन - मिक्सिंग के लिए रम्बर और कार्बन की फ़ॉर्मूला के अनुसार वैविंग स्केल पर भार माप कर से	रबबर को कटर से ज़करत के अनुसार बंडब में से काटे और वेचिंग मसीन से आर नापे , कार्बन साते समय कार्बन बॉक्स के मीचे रखे वेचिंग स्केब .देखते हुए वान्य खोनकर ज़ॉन्ट्रेला के अनुसार रक्बर की माजा के अनुसार इस्तेमाल करें	अगर निर्धारित मा रम्बर और केमिव	जा (फ़ॉर्मूसा) के अनुसार रूज नहीं डाले नये ती टी पर परभाव पड़ेगा				
	▽ 3.0	मिक्सिंग के लिए मशीन कंट्रोल पॅरमीटर - मिक्सिंग मशीन को चलाते समय वर्किंग स्टैंडर्ड में दिए गये लापमान ओर टाइम के अनुसार चलाए	वकिंग स्टेंडर्ड में दिए गये तापमान और टाइम के अनुसार चनाए		टैंडर्ड के अनुसार मशीन रो कॉपाउंड के क्वालिटी रे हैं				
R. C.	4.0	नीडर मशीन से बेंच (CMB) निकासने के बाद नियर चेंबर से मुज़ारे तथा चाइना मीट्टी जमा कर रॅक में रखें	र्रंक में रखते समय फीफो (पहले बना हुआ पहले लें) का प्रयोग करें	अनुसार न रखने निक्स हो सकता	ना हुआ पहले ले) के से पुराना और नवा बँच ह जिससे कॉपाउंड की वित हो सकती है				

QGS/ISO/TS 16949

Implementation:-Quick Win Kaizen (Safety)



farlier :- There were no cover. Chances of rire hitting the operator during wire breakage







Now : - We are using protection chain for holding the gar



witter :- There were no sufety cover at FIBO machine

Now : - Sufety cover provided at rotating part of FIEO



laties :- Wire passing from anneales to take up at MWD was. Now :- We are using protection channel between mod. ot visible and anyone passing may get injured



Implementation:-Quick Win Kaizen (Office 5S)

DEFORE: (Problem / Present

ANALYSIS:

Due to inproper arrangement of machine documents it is hard to know the machine history and its efficiency.



ACTIONS TAKEN

We have provided a proper arrangement to all machine document including manual, operating instruction, electrical & mechanical drawing.



No proper demarkation was there for office tables, table accessories etc.



Proper marking along with proper identification is being imparted



Earlier drawers of executives found in a in organised manner



Now proper shadow is being impated in drawers itself so as to organise it in a better way

Implementation:-Quick Win Kaizen

Before

After

Before

After





Earlier ,At Cutting Applicator, parts were being collected in Tray and then filled in Plastic Bags





Table and Tray modified in such a way that no manual filling required from tray to Bags



Earlier one man is required to re-coil the material from caterpillar machine



Now a trolley arrangement was being implemented which elimates person's fatique

Improves productivity and cleanliness, & Reduces fatigue

Reduces excess fatigue of Associate

QGS/ISO/TS 16949 29

Implementation:-Quick Win Kaizen

Before

After

Before

After



No planning for next changeover so that only at time of changeover operators looks for die and nozzles.




Now a proper place is defined on which operator can place next die and nozzle that will be going to use in next changeover.

Reduces changeover time by 3 minutes (Approx.) and hence Increases productivity.

HAND

Earlier Grommet 1122 was manually operated and producing 80 pcs in one hour.



Now by making a proper arrangement with the help of nut and boit arrangement it was made suitable for semi automatic machine.

Increases production from 80 pieces to 150 pieces per hour

GS/ISO/TS

Implementation:-Quick Win Kaizen

Before

After

No Online Inspection Stage at Shop Floor

Earlier No inspection stage was available at shop floor



After doing inprocess inspection a stage is now being made where every coil is physically checked against all CTQ's parameters and then shifted to warehouse.

Reduces Quality issues and increases Customer satisfaction.

Before



Earlier for all parts deflashing was done at final stage only

After



For parts like KVNF deflashing is now done at molding stage only resulting in increase of productivity, removal of defalshing operation and also reduce rejection percentage from 5% to 3.3%

Reduces one process (i.e. deflashing) and reduces rejection % of KVNF from 5% to 3.3 %